

Class 3: Model choice and forecasting with Bayes

Andrew Parnell
andrew.parnell@mu.ie



<https://andrewcparnell.github.io/TSDA/>

PRESS RECORD

Learning outcomes

- ▶ See some JAGS code for fitting $AR(p)$, $ARMA(p, q)$ and $ARIMAX(p, d, q)$ models
- ▶ Know to check model fit for a Bayesian model using the posterior predictive distribution
- ▶ Know how to create k -step ahead forecasts with uncertainty using JAGS

JAGS code for an AR(p) model

```
model_code = '  
model {  
  # Likelihood  
  for (t in (p+1):N) {  
    y[t] ~ dnorm(mu[t], sigma^-2)  
    mu[t] <- alpha + inprod(beta, y[(t-p):(t-1)])  
  }  
  
  # Priors  
  alpha ~ dnorm(0, 100^-2)  
  for (i in 1:p) {  
    beta[i] ~ dnorm(0, 100^-2)  
  }  
  sigma ~ dunif(0, 100)  
}'
```

JAGS code for an ARMA(p, q) model

```
model_code = '  
model  
{  
  # Set up residuals  
  for(t in 1:max(p,q)) {  
    eps[t] <- z[t] - alpha  
  }  
  # Likelihood  
  for (t in (max(p,q)+1):N) {  
    z[t] ~ dnorm(alpha + ar_mean[t] + ma_mean[t], sigma^-2)  
    ma_mean[t] <- inprod(theta, eps[(t-q):(t-1)])  
    ar_mean[t] <- inprod(beta, z[(t-p):(t-1)])  
    eps[t] <- z[t] - alpha - ar_mean[t] - ma_mean[t]  
  }  
  # Priors  
  alpha ~ dnorm(0, 10^-2)  
  for (i in 1:q) {  
    theta[i] ~ dnorm(0, 10^-2)  
  }  
  for(i in 1:p) {  
    beta[i] ~ dnorm(0, 10^-2)  
  }  
  sigma ~ dunif(0, 100)  
}
```

JAGS code for an ARIMAX model (shortened)

```
model_code = '  
model  
{  
  ...  
  # Likelihood  
  for (t in (max(p,q)+1):N) {  
    z[t] ~ dnorm(alpha + ar_mean[t] + ma_mean[t] + reg_mean[t],  
                sigma^-2)  
    ma_mean[t] <- inprod(theta, eps[(t-q):(t-1)])  
    ar_mean[t] <- inprod(beta, z[(t-p):(t-1)])  
    reg_mean[t] <- inprod(phi, x[t,])  
    eps[t] <- z[t]-alpha-ar_mean[t]-ma_mean[t]-reg_mean[t]  
  }  
  # Priors  
  ...  
  for(i in 1:k) {  
    phi[i] ~ dnorm(0, 100^-2)  
  }  
  ...  
}
```

Fitting a JAGS ARIMA model

- ▶ Let's fit an ARIMA(1, 0, 1) model to the wheat data

```
wheat = read.csv('../..//data/wheat.csv')
jags_data = with(wheat,
                 list(N = length(wheat) - 1,
                      z = scale(wheat)[,1],
                      q = 1,
                      p = 1))
jags_run = jags(data = jags_data,
                parameters.to.save = c('alpha',
                                       'theta',
                                       'beta',
                                       'sigma'),
                model.file = textConnection(model_code))
```

Checking output

```
print(jags_run)
```

```
## Inference for Bugs model at "4", fit using jags,
## 3 chains, each with 2000 iterations (first 1000 discarded)
## n.sims = 3000 iterations saved
##      mu.vect sd.vect  2.5%  25%
## alpha    0.050  0.069 -0.106  0.021
## beta     0.824  0.224  0.318  0.656
## sigma    0.543  0.061  0.441  0.501
## theta    -0.245  0.447 -0.838 -0.642
## deviance 80.854  4.294 73.962 77.236
##      50%  75% 97.5% Rhat
## alpha    0.050  0.080  0.196  1.006
## beta     0.912  1.006  1.072  1.021
## sigma    0.537  0.579  0.684  1.001
## theta    -0.374  0.171  0.581  1.023
## deviance 81.227 83.621 89.878 1.014
##      n.eff
## alpha    3000
## beta      110
## sigma    3000
## theta      91
## deviance 150
##
## For each parameter, n.eff is a crude measure of effective sample size,
## and Rhat is the potential scale reduction factor (at convergence, Rhat=1).
##
## DIC info (using the rule,  $pD = \text{var}(\text{deviance})/2$ )
##  $pD = 9.1$  and  $DIC = 90.0$ 
## DIC is an estimate of expected predictive error (lower deviance is better).
```

Checking model fit

- ▶ We have covered how to compare fits in models by comparing e.g. AIC or running cross-validation
- ▶ An extra way available via JAGS or Stan is to simulate from the posterior distribution of the parameters, and subsequently simulate from the likelihood to see if these data match the real data we observed
- ▶ This is known as a *posterior predictive check*

Creating predictions inside the JAGS model

- ▶ The posterior predictive check for a time series model is really just a check of the one step ahead predictions. However, posterior predictive checks are useful for all models, and are even more informative in complex models
- ▶ We could create the one-step ahead predictions outside JAGS in R code, but it's usually easier to do it inside the code itself
- ▶ We don't have to stop at one step ahead predictions, we can move on to 2 step ahead or further. We would expect the performance of the models to deteriorate the further ahead we predict

The NA trick in action

Start with a simple AR(1) model


```
model_code = '  
model  
{  
  # Likelihood  
  for (t in 2:N) {  
    y[t] ~ dnorm(alpha + beta * y[t-1], sigma^-2)  
  }  
  # Priors  
  alpha ~ dnorm(0, 100^-2)  
  beta ~ dunif(-1, 1)  
  sigma ~ dunif(0, 100)  
}  
'
```

The NA trick in action (cont)

```
num_forecasts = 10 # 10 extra years  
jags_run = jags(data = list(N = nrow(sheep) +  
                            num_forecasts,  
                            y = c(sheep$sheep,  
                                rep(NA,  
                                  num_forecasts))),  
               parameters.to.save = 'y',  
               model.file=textConnection(model_code))
```


NA trick plots

```
y_pred = jags_run$BUGSoutput$sims.list$y
y_med = apply(y_pred,2,'median')
plot(c(sheep$year,2008:2017),y_med,type='l')
```



Notes about the NA trick

- ▶ Here I've just plotted the mean forecasts, but we have the full posterior distribution so it's easy to create lower and upper credible intervals if required

```
apply(y_pred,2,'quantile', c(0.05, 0.95))[,48:57]
```

```
##           [,1]      [,2]      [,3]      [,4]
## 5%  436.1814 428.6191 422.6929 419.5441
## 95% 479.2803 490.1034 498.9602 507.0114
##           [,5]      [,6]      [,7]      [,8]
## 5%  415.3859 411.2846 408.9533 406.5278
## 95% 513.4183 519.5220 527.8113 534.6861
##           [,9]     [,10]
## 5%  401.3987 400.4471
## 95% 541.8916 549.6967
```

- ▶ The NA trick is fantastically in all kinds of modelling situations, e.g. where we have genuinely missing data.

Choosing different models: DIC

- ▶ So far we have met a wide array of discrete-time time series models, all of which involve choosing a p (AR component), a q (MA component), and a d (differencing component)
- ▶ We need a principled method to choose the best values of these. It will always be the case that increasing these values will lead to a better fit
- ▶ There are several proposed methods for doing this:
 1. Treat the model as another parameter (Bayes factors and reversible jump)
 2. Remove some of the data and predict the left out data (Cross-validation)
 3. Use statistical theory to penalise the fit of the model (Information Criteria)
- ▶ All of these are good and useful, but number 3 is implemented by JAGS for us to use through the DIC

The Deviance Information Criterion

- ▶ As JAGS is running through the iterations, it is constantly calculating the value of the likelihood, the probability of the data given the parameters. JAGS reports this as the *deviance* which is -2 times the log of the likelihood
- ▶ For a good set of parameters the value of the deviance should be high, and the model once converged should reach a stable value of the deviance
- ▶ If you run the model with, e.g. an extra AR term, you'd find that the deviance (once the model had converged) would be slightly higher
- ▶ The idea behind *information criteria*, as we have seen, is to penalise the deviance by a measure of the complexity of the model

Measuring model complexity

- ▶ Measuring model complexity isn't quite so simple in the Bayesian world as the number of parameters, in the presence of prior information, can be hard to estimate
- ▶ The version JAGS uses is known as the Deviance Information Criterion (DIC) and is built specifically to penalise the deviance by the *effective* number of parameters, which it calls p_D

The components of DIC

- ▶ JAGS provides the DIC whenever we call the `print` command on a model run

```
DIC info (using the rule,  $p_D = \text{var}(\text{deviance})/2$ )  
 $p_D = 6.9$  and  $\text{DIC} = -261.1$ 
```

- ▶ Here p_D estimates the effective number of parameters in the model and the DIC is calculated as the deviance plus the p_D value
- ▶ The usual practice is to run models of differing complexity (e.g. with differing values of p , d , and q) and choose the model with the lowest DIC

Summary

- ▶ We have seen some JAGS code for some of the more complicated models we have met
- ▶ We have fitted them to some of the data sets we have met
- ▶ We know how to create one step ahead (or more) forecasts for a JAGS model